


2008 Annual Water Quality Report



Mohave District

Camp Mohave

PWS ID: 04-08-037

Lake Mohave

PWS ID: 04-08-062

Desert Foothills

PWS ID: 04-08-137

Rio Vista

PWS ID: 04-08-333

Dear Arizona American Water Customer,

As a trusted leader in the industry, Arizona American Water places a strong emphasis on sharing information about the quality of the water we provide with our customers.

One way we do this is by reporting to you annually the results of our tests on the water we deliver to your home. Please review this Annual Water Quality Report, which outlines information applicable to your local water system for testing completed through December 2008. You'll find that we provide water that surpasses or meets all federal and state water quality regulations. In fact, we often address regulations well before they go into effect.

Just as important, Arizona American Water makes the necessary investments to maintain and upgrade its facilities, so that we can deliver quality water directly to your tap 24 hours a day, seven days a week.

Our customers are our top priority, and we are committed to providing them with the highest quality drinking water and service possible now and in the years to come. In addition to this written report, you can view information about Arizona American Water and your water system on our website <http://azamwater.com>. For more information or for any questions about this report relating to your drinking water, please contact Arizona American Water at (888) 237-1333.

Sincerely

Paul Townsley
President

What is a Water Quality Report?

To comply with state and U.S. Environmental Protection Agency (EPA) regulations, Arizona American Water issues an annual water quality report which describes the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and your awareness of the need to protect your drinking water sources. This report includes details about where your water comes from and what it contains. The data presented in this report is a combination of data from our nationally recognized water quality lab and commercial laboratories all certified in drinking water testing by the State of Arizona Department of Health Services.

Our Mark of Excellence

We are once again proud to present to you our annual water quality report. Over the years, we have dedicated ourselves to producing drinking water that meets or exceeds all state and federal drinking water standards. We continually strive to adopt new and better methods of delivering the best quality drinking water to you. As regulations and drinking water standards change, it is our commitment to you to incorporate these changes system wide in an expeditious and cost-effective manner.

As new challenges to drinking water safety emerge, we will be vigilant in maintaining our objective of providing quality drinking water at an affordable price. If you have any health concerns relating to the information in this report, we encourage you to contact your health care provider.

We hope you find this report informative and useful. It is our pleasure to serve you.

What's Inside?

This report outlines the processes involved in delivering to you the highest quality drinking water available. In it, we will answer these important questions:

Where does my water come from?

What is in my drinking water?

We will also provide information on other available resources that will answer questions about water quality and health effects.

Where Does My Water Come From?

All of the water provided by Arizona American Water comes from groundwater pumped from the Lake Mohave Basin. The basin is a narrow strip of land bounded by the Colorado River in the west and the Black Mountains in the east. Groundwater is found in the alluvial sand, silt, and gravel deposits adjacent to the Colorado River and Lake Mohave.

Notice of Source Water Assessment

Camp Mohave, Lake Mohave Highlands

In 2004 the Arizona Department of Environmental Quality completed a source water assessment for the one well used by Arizona American Water Company-Camp Mohave and Lake Mohave Highlands. The Assessment reviewed the adjacent land uses that may pose a potential risk to the source. These risks include, but are not limited to, gas stations, landfills, dry cleaners, agriculture fields, waste water treatment plants, and mining activities. Once ADEQ identified the adjacent land uses, they were ranked as to their potential to affect the water source. The result of the two assessments found that there were no adjacent land uses in the vicinity of either of the wells.

The sources are currently protected by well construction and system operations and management. Residents can help protect the water source by taking hazardous household chemicals to hazardous material collection days, and limiting pesticide & fertilizer use.

The complete Assessment is available for inspection at the Arizona Department of Environmental Quality, 1110 W. Washington, Phoenix, Arizona 85007, between the hours of 8:00 a.m. and 5:00 p.m. Electronic copies are available from ADEQ at dml@azdeq.gov. For more information, call ADEQ's Source Water Assessment and Protection Unit at 602-771-4644 or visit their website at www.azdeq.gov/environ/water/dw/swap.html.

Substances Expected to be in Drinking Water

To ensure that tap water is safe to drink, U.S. EPA prescribes regulations limiting the amount of certain contaminants in water provided by public water systems. U.S. Food and Drug Administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of these contaminants does not necessarily indicate that the water poses a health risk.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it can acquire naturally occurring minerals and, in some cases, radioactive material, and substances resulting from the presence of animals or from human activity.

Substances that may be present in source water include:

Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, or wildlife.

Inorganic Contaminants, such as salts and metals, which can be naturally occurring or may result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and Herbicides, which may come from a variety of sources, such as agriculture, urban stormwater runoff, and residential uses.

Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and may also come from gas stations, urban stormwater runoff, and septic systems.

Radioactive Contaminants, which can be naturally occurring or may be the result of oil and gas production and mining activities.

For more information about contaminants and potential health effects, call the U.S. EPA's Safe Drinking Water Hotline at 1-800-426-4791.

Water Conservation Tips

Water conservation measures are an important first step in protecting our water supply. Such measures not only save the supply of our source water, but can also save you money by reducing your water bill.

Conservation measures you can use inside your home include:

- Fix leaking faucets, pipes, toilets, etc.
- Replace old fixtures; install water-saving devices in faucets, toilets and appliances.
- Wash only full loads of laundry.
- Do not use the toilet for trash disposal.
- Take shorter showers.
- Do not let the water run while shaving or brushing teeth.
- Soak dishes before washing.
- Run the dishwasher only when full.

You can conserve outdoors as well:

- Water the lawn and garden in the early morning or evening.
- Use mulch around plants and shrubs.
- Repair leaks in faucets and hoses.
- Use water-saving nozzles.
- Use water from a bucket to wash your car, and save the hose for rinsing.

What's In My Water?

We are pleased to report that during the past year, the water delivered to your home or business complied with, or exceeded, all state and federal drinking water requirements. For your information, we have compiled a list in the table below showing what substances were detected in our drinking water during 2008 or prior. Although all of the substances listed below are under the Maximum Contaminant Level (MCL) set by USEPA, we feel it is important that you know exactly what was detected and how much of the substance was present in the water.

How to Read This Table

Arizona American Water conducts extensive monitoring to ensure that your water meets all water quality standards. The results of our monitoring are reported in the adjacent tables. For help with interpreting this table, see the "Table Definitions" section.

Starting with a **Substance**, read across. **Year Sampled** is usually in 2008 or year prior. **MCLG** is the goal level for that substance (this may be lower than what is allowed). **MCL** shows the highest level of substance (contaminant) allowed. **Highest Amount Detected** represents the highest amount that was found. **Range of Detections** tells the highest and lowest amounts found. A **Yes** under **Compliance Achieved** means the amount of the substance is below government requirements. **Typical Source** tells where the substance usually originates.

Unregulated substances are measured, but maximum contaminant levels have not been established by the government.

Definitions of Terms Used in This Report

- **gpg or grains/gallon:** Used to describe the dissolved hardness minerals contained in water and is a unit of weight that equals 1/7000 of a pound.
- **MCL (Maximum Contaminant Level):** The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- **MCLG (Maximum Contaminant Level Goal):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- **Maximum Residual Disinfectant Level (MRDL):** The highest level of disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

- **Maximum Residual Disinfectant Level Goal (MRDLG):** The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- **TT (Treatment Technique):** A required process intended to reduce the level of a contaminant in drinking water.
- **AL (Action Level):** The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
- **NA:** Not applicable.
- **ND:** None detected.
- **NR:** No results.
- **pCi/L (Picocuries per liter):** Measurement of the natural rate of disintegration.
- **ppb – Parts per billion:** One part substance per billion parts water (or micrograms per liter).
- **ppm – Parts per million:** One part substance per million parts water (or milligrams per liter).
- **TTHM – Total Trihalomethanes:** consist of Chloroform, Bromodichloromethane, Dibromochloromethane, Bromoform.
- **HAA – Five Haloacetic Acids:** consist of Mono-chloroacetic acid, Dichloroacetic acid, Trichloroacetic acid, Bromoacetic acid, Dibromoacetic acid.

How Did We Do?

Our water quality report is intended to provide you with valuable information on your water. Call us TOLL FREE at 1-866-464-0228.

By completing a short phone survey (6 yes/no questions), you will help us improve the value of the information we provide to you each year.

Water Quality Results

Regulated Substances Measured on the Water Leaving the Treatment Facility																						
District:	Desert Foothills / Laughlin Ranch					Camp Mohave					Lake Mohave Highlands					Rio Vista Ranches						
Substance (units)	Year Sampled	MCLG	MCL	Highest Amount Detected	Range of Detections	Year Sampled	MCLG	MCL	Highest Amount Detected	Range of Detections	Year Sampled	MCLG	MCL	Highest Amount Detected	Range of Detections	Year Sampled	MCLG	MCL	Highest Amount Detected	Range of Detections	Compliance Achieved	Typical Source
Alpha Emitters (pCi/L)	2003	0	15	0.9	0.9	2003	0	15	9.4	9.4	2003	0	15	9.3	9.3	2007	0	15	4.3	ND – 4.3	YES	Erosion of natural deposits
Arsenic (ppb) ¹	2007	0	10	4.5	4.5	2006	0	10	ND	ND	2006	0	10	2	2	2007	0	10	18 ³	ND – 18	YES	Erosion of natural deposits; discharge from orchards; runoff from glass and electronics production wastes
Barium (ppm)	NA	2	2	NA	NA	2007	2	2	0.036	0.036	2007	2	2	0.061	0.061	NA	2	2	NA	NA	YES	Discharge of drilling wastes; erosion of natural deposits
Chromium (ppb)	2007	100	100	14.8	14.8	2006	100	100	ND	ND	2006	100	100	2	2	2007	100	100	15	ND – 15	YES	Erosion of natural deposits
Combined Radium (pCi/L)	NA	NA	NA	NA	NA	2006	0.05	0.05	ND	ND	2006	0.05	0.05	ND	ND	2007	0.05	0.05	ND	ND	YES	Erosion of natural deposits
Fluoride (ppm)	2007	4	4	1.2	1.2	2002	4	4	1.2	1.2	2003	4	4	0.57	0.57	2007	4	4	2.5 ⁴	ND – 2.5	YES	Erosion of natural deposits
Nitrate (ppm)	2008	10	10	3.7	3.7	2008	10	10	0.64	0.64	2008	10	10	0.28	0.28	2008	10	10	5.2	0.75 – 5.2	YES	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Selenium (ppm)	2007	0.05	0.05	0.002	0.002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	YES	Erosion of natural deposits; discharge from mines
Other Compounds Measured in the Distribution System																						
District:	Desert Foothills / Laughlin Ranch					Camp Mohave					Lake Mohave Highlands					Rio Vista Ranches						
Substance (units)	Year Sampled	MCLG/MRDLG	MCL/MRDL	Average Amount Detected	Range of Detections	Year Sample	MCLG/MRDLG	MCL/MRDL	Average Amount Detected	Range of Detections	Year Sample	MCLG/MRDLG	MCL/MRDL	Average Amount Detected	Range of Detections	Year Sampled	MCLG/MRDLG	MCL/MRDL	Average Amount Detected	Range of Detections	Compliance Achieved	Typical Source
TTHMs [Total Trihalomethanes] (ppb) ²	2008	NA	80	1	1	2008	NA	80	73	70.5 – 74.9	2008	NA	80	23.2	23.2	2008	NA	80	6.3	6.3	YES	By-product of drinking water disinfection
HAA (ppb) ²	2008	NA	60	ND	ND	2008	NA	60	7	4.5 – 8.9	2008	NA	60	2.2	2.2	2008	NA	60	1.8	1.8	YES	By-product of drinking water disinfection
Chlorine Residual (ppm)	2008	4	4	0.4	0.2 – 0.6	2008	4	4	0.2	0.1 – 0.4	2008	4	4	0.3	0.2 – 0.4	2008	4	4	0.3	0.1 – 0.5	YES	Water additive to control microbes
Tap Water Samples: Lead and Copper Results																						
District:	Desert Foothills / Laughlin Ranch					Camp Mohave					Lake Mohave Highlands					Rio Vista Ranches						
Substance (units)	Year Sampled	MCLG	Action Level	Number of Samples	90th Percentile	Year Sampled	MCLG	Action Level	Number of Samples	90th Percentile	Year Sampled	MCLG	Action Level	Number of Samples	90th Percentile	Year Sampled	MCLG	Action Level	Number of Samples	90th Percentile	Number of Samples Above Action Level	Typical Source
Lead (ppm)	2007	0	0.015	10	0.002	2007	0	0.015	5	0.003	2008	0	0.015	5	0.002	2007	0	0.015	5	7	0	Corrosion of household plumbing systems; erosion of natural deposits
Copper (ppm)	2007	1.3	1.3	10	0.071	2007	1.3	1.3	5	0.082	2008	1.3	1.3	5	0.073	2007	1.3	1.3	5	0.286	0	Corrosion of household plumbing systems; erosion of natural deposits
Unregulated Substances Measured on the Water Leaving the Treatment Facility																						
District:	Desert Foothills / Laughlin Ranch					Camp Mohave					Lake Mohave Highlands					Rio Vista Ranches						
Substance (units)	Year Sampled		Range Low High			Year Sampled		Range Low High			Year Sampled		Range Low High			Year Sampled		Range Low High			Typical Source	
Nickel (ppm)	NA		NA			2006		0.015			2006		0.0073			NA		NA			Natural erosion	
Sodium (ppm)	NA		NA			2006		330			2006		130			2007		180 – 960			Natural erosion	
Total Hardness (grains/gal)	2002		8			2002		93			2002		23			2002		52			Natural erosion	
Sulfate (ppm)	2005		78			2005		1182.8			2005		141.6			NA		NA			Natural erosion	
Chloride (ppm)	2005		42.8			2005		377.2			2005		275.2			NA		NA			Natural erosion	
Sodium (ppm)	2007		92			NA		NA			NA		NA			NA		NA			Natural erosion	
Total Dissolved Solids (ppm)	2005		350			2005		2352			2005		764			NA		NA			Natural erosion	
Manganese (ppm)	NA		NA			2005		0.125			NA		NA			NA		NA			Natural erosion	
Iron (ppm)	NA		NA			NA		NA			2005		0.19			NA		NA			Natural erosion	

Special Footnotes:

Year Sampled - The state requires us to monitor for certain substances less than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken.

¹ Arsenic - While your drinking water meets EPA's standard for arsenic, it does contain low levels of arsenic. EPA's standard balances the current understanding of arsenic's possible health effects against the cost of removing arsenic from drinking water. EPA continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

² TTHM/HAA - Although there is no collective MCLG for this contaminant group, there are individual MCLGs for some of the individual contaminants: Trihalomethanes: bromodichloromethane (zero); bromoform (zero); chloroform (zero); dibromochloromethane (0.06 mg/L).

Haloacetic acids: dichloroacetic acid (zero); trichloroacetic acid (0.3 mg/L). Monochloroacetic acid, bromoacetic acid, and dibromoacetic acid are regulated with this group but have no MCLGs.

³ Effective January 23, 2006, the Federal Environmental Protection Agency (EPA) revised the arsenic MCL to 10 ppb. Rio Vista Ranches Water System is a consecutive system and the water being sold to you by Arizona American Water Company is purchased from Bermuda Water Company. The well resulting in 18 ppb, in excess of the MCL, was abandoned in December 2007 and has been removed from the system. POE 005 had an arsenic level of 18 ppb. The water distributed to Rio Vista Ranches is served by POEs 008, 003 and 002. The range of arsenic at these POEs is ND - 4.9 ppb.

⁴ Elevated Fluoride Levels detected - This is an alert about your drinking water and a cosmetic dental problem that might affect children under nine years of age. At low levels, fluoride can help prevent cavities, but children who drink water containing more than 2 milligrams per liter (mg/L) of fluoride may develop cosmetic discoloration of their permanent teeth (dental fluorosis). Dental fluorosis, in its moderate or severe forms, may result in a brown staining and/or pitting of the permanent teeth. This problem occurs only in the developing teeth, before they erupt from the gums. Children under nine years of age should be provided with alternative sources of drinking water or water that has been treated to remove the fluoride to avoid the possibility of staining and pitting of their permanent teeth. You may also want to contact your dentist about proper use by young children of fluoride-containing products. Older children and adults may safely drink the water. Drinking water containing more than 4mg/L of fluoride (the U. S. Environmental Protection Agency's drinking water standard) can increase your risk of developing bone disease. Your drinking water does not contain more than 4mg/L of fluoride, but we're required to notify you when we discover that the fluoride levels in your drinking water exceed 2mg/L because of the cosmetic dental problem. Some home water treatment units are also available to remove fluoride from drinking water. To learn more about available home water treatment units, you may call NSF International at 1 (877) 867-3435 or the Arizona water Quality Association at (480) 947-9850. Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail. For more information about your drinking water, please contact our Customer Service Center at (888) 237-1333 or visit our website at www.amwater.com.



19820 N. 7th Street, Suite 201
Phoenix, AZ 85024

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien. 1-(800) 383-0834

For more information about this report, or for any questions relating to your drinking water, please call our customer service center at 1-(800) 383-0834.