

LIST OF QUALIFYING RESIDENTIAL HIGH-EFFICIENCY TOILETS (HETs)

Rebate good on purchases made between **March 1, 2007** thru **September 30, 2008** or until rebate funds are depleted, whichever comes first. The following is a list of devices that qualify as of **March 1, 2007**.

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed in a SINGLE flush)	Qualified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height	1.6G (6L) Gravity-flush	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
												Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8-L) Gravity		
American Standard	FloWise Compact Cadet 3 EL	2403.128 (one-piece)	13	WS	1	3		E						HET		F
American Standard	FloWise Dual Flush EL	2479.216: 3067.216 bowl, 4035.216 tank	900	WS	2	2	*	E		*			HET			F
American Standard	FloWise EL	2073.013: 3018 bowl, 4023.013 tank (<i>this model to be discontinued & replaced by 2073.014</i>)	550		2	3	*	E						HET		F
American Standard	FloWise EL	2073.014: 3018 bowl, 4023.014 tank	750	WS	2	3	*	E						HET		F
Capizzi	Turbo Capizzi EL	0778 bowl, 1278 tank	475		2	-		E						HET		F
Capizzi	Turbo Capizzi High Profile EL	0478 bowl, 1578 tank	500		2	-		E						HET		F
Capizzi	Turbo Capizzi Low Profile EL	0478 bowl, 1513 tank	400		2	-		E						HET		F
Capizzi	Turbo Capizzi Low Profile EL ADA	0441 bowl, 1513 tank	500		2	-		E	*					HET		F
Caroma	Adelaide 270 Cube EL	834000 bowl, 814790 tank	700	WS	2	-	*	E		*				HET		F
Caroma	Adelaide 270 Standard EL	834000 bowl, 814328 tank	700	WS	2	-	*	E		*				HET		F
Caroma	Bondi 270 CC RF	609159 bowl, 726350 tank	600	WS	2	-	*	R		*				HET		F
Caroma	Bondi 270 EL	609100 bowl, 726350 tank	550	WS	2	-	*	E		*				HET		F
Caroma	Bondi 270 EL ADA	609120 bowl, 726350 tank	900	WS	2	-	*	E	*	*				HET		F
Caroma	Bondi 270 RF ADA	607177 bowl, 726350 tank	550	WS	2	-	*	E	*	*				HET		F
Caroma	Bondi 305 CC RF	609151 bowl, 726350 tank	450	WS	2	-	*	R		*				HET		F
Caroma	Bondi 305 EL	609130 bowl, 726350 tank	350	WS	2	-	*	E		*				HET		F
Caroma	Caravelle 1-Piece EL ADA	989668	800	WS	1	-	*	E	*	*				HET		F
Caroma	Caravelle 270 EL	609100 bowl, 629435 tank	500	WS	2	2	*	E		*				HET		F
Caroma	Caravelle 270 EL ADA	609120 bowl, 629435 tank	800	WS	2	2	*	E	*	*				HET		F
Caroma	Caravelle 270 RF	989760: 609159 bowl, 629435 tank	500	WS	2	-	*	R		*				HET		F
Caroma	Caravelle 270 RF ADA	989770: 609177 bowl, 629435 tank	800	WS	2	-	*	R	*	*				HET		F
Caroma	Caravelle 305 EL	609130 bowl, 629435 tank	500	WS	2	2	*	E		*				HET		F
Caroma	Caravelle 305 RF	989680: 609151 bowl, 629435 tank	650	WS	2	-	*	R		*				HET		F
Caroma	Caravelle One-Piece RF	989646	500	WS	1	-	*	R		*				HET		F
Caroma	Colonial 270 RF	605310 bowl, 625070 tank	600	WS	2	-	*	R		*				HET		F
Caroma	Reflections 270 RF	989720: 609159 bowl , 629530 tank	650		2	-	*	R		*				HET		F
Caroma	Reflections 305 RF	609151 bowl, 629530 tank	600		2	2	*	R		*				HET		F
Caroma	Royale 270 EL	609100 bowl, 624530 tank	800	WS	2	-	*	E		*				HET		F
Caroma	Royale 270 EL ADA	609120 bowl, 624530 tank	850	WS	2	-	*	E	*	*				HET		F
Caroma	Royale 270 RF	609159 bowl, 624530 tank	600	WS	2	2	*	R		*				HET		F
Caroma	Royale 270 RF ADA	609177 bowl, 624530 tank	900	WS	2	-	*	E	*	*				HET		F
Caroma	Royale 305 EL	609130 bowl, 629530 tank	850	WS	2	-	*	E		*				HET		F
Caroma	Royale 305 RF	609151 bowl, 624530 tank	600	WS	2	-	*	R		*				HET		F
Caroma	Sydney 270 EL	609100 bowl, 622320 tank	500	WS	2	-	*	E		*				HET		F
Caroma	Sydney 270 EL ADA	609120 bowl, 622320 tank	1,000	WS	2	-	*	E	*	*				HET		F
Caroma	Sydney 270 RF	609159 bowl, 622320 tank	600	WS	2	-	*	E		*				HET		F
Caroma	Sydney 270 RF ADA	609177 bowl, 622320 tank	600	WS	2	-	*	E	*	*				HET		F
Caroma	Sydney 305 EL	609130 bowl, 622320 tank	500	WS	2	-	*	E		*				HET		F
Caroma	Sydney 305 RF Standard	609151A bowl, 622320 tank	1,000	WS	2	-	*	R		*				HET		F



KEY:

Flush performance (MaP score)

	350 grams to 475 grams
	500 grams and more






Type of toilet fixture

	4-L (1.1-gal) Pressure-assist
	6-L (1.6-gal) Pressure- or power-assist (full flush option on a dual-flush fixture)
	Gravity-fed

IMPORTANT: Prior to purchasing, please confirm that both the tank model number and the bowl model number of your selected HET appear on this list.


LIST OF QUALIFYING RESIDENTIAL HIGH-EFFICIENCY TOILETS (HETs)

Rebate good on purchases made between **March 1, 2007** thru **September 30, 2008** or until rebate funds are depleted, whichever comes first. The following is a list of devices that qualify as of **March 1, 2007**.

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed in a SINGLE flush)	Qualified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height	1.6G (6L) Gravity-flush	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
												Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
	KEY:															
	Flush performance (MaP score)															
			350 grams to 475 grams													
			500 grams and more													
	Type of toilet fixture															
			4-L (1.1-gal) Pressure-assist													
			6-L (1.6-gal) Pressure- or power-assist (full flush option on a dual-flush fixture)													
			Gravity-fed													
	IMPORTANT: Prior to purchasing, please confirm that <u>both</u> the tank model number and the bowl model number of your selected HET appear on this list.															
Caroma	Sydney Smart 305 RF (1.28-gpf-0.8-gpf dual flush)	609151A bowl, 622322 tank	650	WS	2	-	*	R					HET			F
Caroma	Tasman 270 RF	989860: 609169 bowl, 800032 tank	550		2	-	*	R		*			HET			F
Crane	Eco Galaxy/Cranada EL	31008: 3372 bowl, 31590 tank	500	WS	2	-		E		*			HET			F
Crane	Eco Galaxy/Cranada RF	31007: 3352 bowl, 31590 tank	500	WS	2	-		R		*			HET			F
Crane	Eco Galaxy/Cranada RF	31067: 3352 bowl, 31593 tank (insulated)	600	WS	2	-		R		*			HET			F
Crane	Eco Opus III RF	31692: 31562 bowl, 31542 tank	600	WS	2	3		R						HET		F
Crane	Eco Opus III RF	31693: 31562 bowl, 31543 tank (insulated)	350	WS	2	3		R						HET		F
Crane	Eco Saratoga EL	31973: 3372 bowl, 31964 tank	500	WS	2			E		*			HET			F
Crane	Eco Saratoga RF	31972: 3352 bowl, 31964 tank	600	WS	2			R		*			HET			F
Crane	Ecomiser Bigfoot EL	38345: 31125 bowl, 31500 tank	1,000	WS	2	-		E			*		HET			F
Crane	Ecomiser Bigfoot EL ADA	38355: 31128 bowl, 31500 tank	1,000	WS	2	-		E	*		*		HET			F
Crane	EcoMiser EL	38340: 3824 bowl, 31500 tank	1,000		2	-		E			*		HET			F
Crane	EcoMiser EL	38350: 3825 bowl, 31500 tank	1,000		2	-		E			*		HET			F
Crane	EcoMiser EL ADA	38380: 3828 bowl, 31500 tank	1,000		2	-		E	*		*		HET			F
Crane	Economiser One Bigfoot EL	31885: 31125 bowl, 31612 tank	1,000	WS	2	-		E					HET			F
Crane	Economiser One Bigfoot EL ADA	31888: 31128 bowl, 31612 tank	1,000	WS	2	-		E	*				HET			F
Crane	Economiser One Bigfoot RF	31884: 31124 bowl, 31612 tank	1,000	WS	2	-		R					HET			F
Crane	Economiser One Bigfoot RF	38335: 31124 bowl, 31500 tank	1,000	WS	2			R					HET			F
Crane	Economiser One EL	31945: 3825 bowl, 31612 tank	1,000		2	-		E					HET			F
Crane	Economiser One EL ADA	31948: 3828 bowl, 31612 tank	1,000		2	-		E	*				HET			F
Crane	Economiser One RF	31944: 3824 bowl, 31612 tank	1,000		2	-		R					HET			F
Eljer	Power 1-G EL	091-7625: 131-7625 bowl; 141-7600 tank	800		2	-		E					HET			F
Eljer	Power 1-G EL ADA	091-7675: 131-7675 bowl; 141-7600 tank	800		2	-		E	*				HET			F
FERGUSON - SEE PRO-FLO																
Foremost	None - EL ADA	AIO1000-EW	350	WS	2			E	*	*			HET			F
Foremost	None - RF	TT-2010-WL: LL-2010 bowl, T-2010 tank (lined)	600	WS	2	2.5		R		*			HET			F
Foremost	None - RF ADA	AIO1000-RW	350	WS	2			R	*				HET			F
Foremost	None EL ADA	TL-7600HC-HET-Y: LL-7600HC-HET bowl, T-7600-HET tank	400	WS	2			E	*	*				HET		F
Foremost	Plaza	TL-7107-WL: T7107 bowl, LL-7107 tank	350	WS	2	-		E	*	*			HET			F
Foremost (for Home Depot)	None EL ADA	BT6001 (Glacier Bay Home Depot SKU 331-725)	350	WS	2			E	*	*				HET		F
Gerber	Ultra Dual Flush EL	DF-21-310: 21-374 bowl, DF-28-380 tank	350	WS	2	-		E			*		HET		R	F
Gerber	Ultra Dual Flush EL	DF-21-312: 21-372 bowl, DF-28-380 tank	1,000		2	-		E			*		HET			F
Gerber	Ultra Dual Flush EL	DF-21-314: 21-372 bowl, DF-28-384 tank	1,000		2	-		E			*		HET			F
Gerber	Ultra Dual Flush EL ADA	DF 21-318: 21-377 bowl, DF-28-380 tank	1,000		2	-		E	*		*		HET			F
Gerber	Ultra Dual Flush EL ADA	DF-21-324: 21-377 bowl, DF-28-384 tank	1,000		2	-		E	*		*		HET			F
Gerber	Ultra Dual Flush EL ADA (rear discharge)	DF-21-325: 21-375 bowl, DF-28-380 tank	1,000		2	-		E	*		*		HET		R	F
Gerber	Ultra Dual Flush EL ADA (w/bedpan lugs)	DF 21-319: 21-329 bowl, DF-28-390 tank	1,000		2	-		E	*		*		HET			F
Gerber	Ultra Dual Flush RF	DF-21-302: 21-342 bowl, DF-28-380 tank	1,000		2			R			*		HET			F
Gerber	Ultra Dual Flush RF	DF-21-304: 21-342 bowl, DF-28-384 tank	1,000		2	-		R			*		HET			F


LIST OF QUALIFYING RESIDENTIAL HIGH-EFFICIENCY TOILETS (HETs)

Rebate good on purchases made between **March 1, 2007** thru **September 30, 2008** or until rebate funds are depleted, whichever comes first. The following is a list of devices that qualify as of **March 1, 2007**.

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed in a SINGLE flush)	Qualified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height	1.6G (6L) Gravity-flush	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
												Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
	KEY: Flush performance (MaP score)		350 grams to 475 grams		500 grams and more											
IMPORTANT: Prior to purchasing, please confirm that <u>both</u> the tank model number and the bowl model number of your selected HET appear on this list.		Type of toilet fixture														
		4-L (1.1-gal) Pressure-assist														
		6-L (1.6-gal) Pressure- or power-assist (full flush option on a dual-flush fixture)														
		Gravity-fed														
Gerber	Ultra Flush EL	EF-21-310: 21-374 bowl, EF-28-380 tank	350	WS	2			E						HET		F
Gerber	Ultra Flush EL ADA	EF 21-318: 21-377 bowl, EF-28-380 tank	800		2	-		E	*					HET		F
Gerber	Ultra Flush EL ADA	EF-21-312: 21-372 bowl, EF-28-380 tank	800		2	-		E	*					HET		F
Gerber	Ultra Flush EL ADA	EF-21-314: 21-372 bowl, EF-28-384 tank	800		2	-		E	*					HET		F
Gerber	Ultra Flush EL ADA	EF-21-324: 21-372 bowl, EF-28-384 tank	800		2	-		E	*					HET		F
Gerber	Ultra Flush EL ADA (rear discharge)	EF-21-325: 21-375 bowl, EF-28-380 tank	800		2	-		E	*					HET	R	F
Gerber	Ultra Flush EL ADA (w/bedpan lugs)	EF-21-319: 21-329 bowl, EF-28-390 tank	800		2	-		E	*					HET		F
Gerber	Ultra Flush RF	EF-21-302: 21-342 bowl, EF-28-380 tank	1,000		2	-		R						HET		F
Gerber	Ultra Flush RF	EF-21-304: 21-342 bowl, EF-28-384 tank	1,000		2	-		R						HET		F
Home Depot - Glacier Bay (by Foremost)	None	SKU 331-725 (Foremost Model BT6001)	350	WS										HET		F
Home Depot - Pegasus	Tulip EL (See Vortens-Lamosa)	SKU 477-546: 3107 bowl, 3427 tank	400		2	-	*	E		*				HET		F
Home Depot - Pegasus (by Niagara)	Cottage EL ADA (Flapperless)	N2228: N2228B bowl, N2228T tank. Sold combined as Home Depot SKU 840-565	350	WS	2	-	*	E						HET		F
Home Depot (by Niagara)	Ecologic EL ADA (Flapperless)	N2225E: N2225EB bowl, N2225T tank. Sold combined as Home Depot SKU 331-725	800	WS	2	-	*	E	*					HET		F
Kohler	Barrington Pressure Lite EL	K-3652: 4327 bowl, 4484 tank	350	WS	2	-		E			*			HET	R	F
Kohler	Cimarron Eco-Smart EL ADA	K-3496-HE: 4286 bowl, 4634-HE tank	800	WS	2	3		E	*					HET		F
Kohler	Persuade EL	K-3654: 4322 bowl, 4419 tank	350	WS	2	-		E		*				HET		F
Kohler	San Raphael Power Lite EL	K-3398 Power-Assisted (DISCONTINUED MODEL-replaced by K-3393)	850		1	-	*	E			*			HET		F
Kohler	San Raphael Power Lite EL ADA	K-3393 Power-Assisted	1,000	WS	1	-	*	E	*		*-at 1.4-g			HET		F
Kohler	San Raphael Pressure Lite EL ADA	K-3597 (one-piece)	350	WS	1	-	*	E	*					HET		F
Kohler	Sterling Karsten Dual Force EL	402028: 402026 bowl, 402023 tank	400	WS	2	2	*	E		*				HET		F
Kohler	Sterling Karsten RF	402025: 402021 bowl, 402023 tank	800	WS	2	2	*	R		*				HET		F
Kohler	Sterling Rockton EL	402027: 402026 bowl, 402022 tank	350	WS	2	-	*	E		*				HET		F
Kohler	Sterling Rockton RF	402024: 402021 bowl, 402022 tank	350	WS	2	-	*	R		*				HET		F
Kohler	Sterling Stanton EL	402040: 402030 bowl, 402031 tank	350	WS	2	-	*	E		*				HET		F
Kohler	Wellworth Pressure Lite EL	K-3531: 4303 bowl, 4484 tank	1,000	WS	2	-		E						HET		F
Kohler	Highline Pressure Lite EL ADA	K-3519: 4304 bowl, 4484 tank	1,000	WS	2	-	*	E	*					HET		F
Mancesa	Cyclone 4 EL	2282 bowl, 2281 tank	650		2	-		E						HET		F
Mansfield	EcoQuantum EL	147 bowl, 119 tank	1,000		2	-		E		*				HET		F
Mansfield	EcoQuantum EL	149 bowl, 119 tank	550		2	-		E		*				HET	R	F
Mansfield	EcoQuantum EL ADA	148 bowl, 119 tank	1,000		2	-		E	*	*				HET		F
Mansfield	EcoQuantum RF	146 bowl, 119 tank	1,000		2	-		R		*				HET		F
Mansfield	None - EL	144 bowl, 119 tank	1,000	WS	2	-		E	*	*				HET	R	W
Mansfield	None - EL	144 bowl, 153 tank	900	WS	2	-		E	*					HET	R	W
Mansfield	QuantumOne EL	147 bowl, 153 tank	1,000		2	-		E						HET		F
Mansfield	QuantumOne EL	149 bowl, 153 tank	1,000		2	-		E						HET	R	F
Mansfield	QuantumOne EL ADA	148 bowl, 153 tank	1,000		2	-		E	*					HET		F


LIST OF QUALIFYING RESIDENTIAL HIGH-EFFICIENCY TOILETS (HETs)

Rebate good on purchases made between **March 1, 2007** thru **September 30, 2008** or until rebate funds are depleted, whichever comes first. The following is a list of devices that qualify as of **March 1, 2007**.

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed in a SINGLE flush)	Qualified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height	1.6G (6L) Gravity-flush	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
												Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8-L) Gravity		
	KEY: Flush performance (MaP score) 350 grams to 475 grams 500 grams and more															
	IMPORTANT: Prior to purchasing, please confirm that <u>both</u> the tank model number and the bowl model number of your selected HET appear on this list.															
	Type of toilet fixture 4-L (1.1-gal) Pressure-assist 6-L (1.6-gal) Pressure- or power-assist (full flush option on a dual-flush fixture) Gravity-fed															
Mansfield	QuantumOne RF	146 bowl, 153 tank	1,000		2	-		R						HET		F
Niagara	Ecologic EL ADA HET (Flapperless)	N2225E: N2225EB bowl, N2225T tank	800	WS	2	-	*	E	*					HET		F
Niagara	Ecologic RF HET (Flapperless)	N2225R: N2225RB bowl, N2225T tank (note that tank and bowl model nos. are identical to those of the older Flapperless RF HET)	500	WS	2	-		R						HET		F
Niagara	Flapperless HET EL	N2228: N2228B bowl, N2228T tank. Also sold as Home Depot SKU 840-565	350	WS	2	-	*	E						HET		F
Niagara	None	N2310: 2310B bowl, 2310T tank	350	WS	2	-								HET		F
Niagara	None EL	N4418 (one piece)	500		1	-	*	E						HET		F
Niagara	None EL ADA	N4417: N4417 bowl, N4415T tank	350		2	-	*	E	*					HET		F
Peerless Pottery (by Capizzi)	Predator EL ADA	608 bowl, 1 tank	500		2	-		E	*					HET		F
Peerless Pottery (by Capizzi)	Predator Low Profile EL	606 bowl, 1 tank	400		2	-		E						HET		F
Pro-Flo (by Tynan for Ferguson)	Cascade EL	PF9301 bowl; PF9312 tank	400	WS	2	2		E		*			HET			F
Pro-Flo (by Tynan for Ferguson)	Cascade EL ADA	PF9304 bowl; PF9312 tank	450	WS	2	2		E	*	*			HET			F
Pro-Flo (by Tynan for Ferguson)	Cascade RF	PF9300 bowl; PF9312 tank	500	WS	2	2		R		*			HET			F
Pro-Flo (by Tynan for Ferguson)	MacLair EL	PF9401 bowl; PF9412 tank	850	WS	2	3		E						HET		F
Pro-Flo (by Tynan for Ferguson)	MacLair RF	PF9400 bowl; PF9412 tank	900	WS	2	3		R						HET		F
STERLING - SEE KOHLER																
Toto	Aquia EL	CST414M: CT414 bowl, ST413M tank	800	WS	2	2		E		*				HET		F
Toto	EcoClayton	CST784EF: C784EF bowl, ST784E tank	500		2	3		E	*					HET		F
Toto	EcoDartmouth EL ADA	CST754EF: C754EF bowl, ST753E tank	700		2	3		E	*					HET		F
Toto	EcoDrake EL	CST744E: C744E bowl, ST743E tabj	600	WS	2	3		E						HET		F
Toto	EcoDrake EL ADA	CST744EL: C744EL bowl, ST743E tank	900	WS	2	3		E	*					HET		F
Toto	EcoDrake RF	CST743E: C743E bowl, ST743E tank	500	WS	2	3		R						HET		F
Toto	EcoNexus EL ADA	CST794EF: CT794EF bowl, ST794E tank	450	WS	2	3		E	*					HET		F
Toto	EcoSupreme EL	CST864E OR MS864114E OR MW864***E	350	WS	1	3		E						HET		F
Toto	EcoSupreme RF	CST863E OR MS863113E OR MW863***E	350	WS	1	3		E						HET		F
Toto	EcoUltramax EL	CST854E OR MS854114E OR MW854***E	450	WS	1	3		E						HET		F
Toto	EcoUltramax EL ADA	CST854EL OR MS854114EL OR MW854***EL	450	WS	1	3		E	*					HET		F
Toto	EcoUltramax RF	CST853E OR MS853113E OR MW853***E	450	WS	1	3		R						HET		F
Toto	EcoWhitney EL ADA	CST754EFN: C754EF bowl, ST754E tank	700		2	3		E	*					HET		F
Toto	Gwyneth EL ADA	CST604CEF (one-piece)	500		1	3		E	*					HET		F
Tynan Plumbing	Cascade EL	4353: 0353.01 bowl, 1312.01 tank	400	WS	2	2		E		*				HET		F
Tynan Plumbing	Cascade EL ADA	4354: 0354.01 bowl, 1312.01 tank	450	WS	2	2		E	*	*				HET		F
Tynan Plumbing	Cascade RF	4352: 0352.01 bowl, 1312.01 tank	500	WS	2	2		R		*				HET		F
Tynan Plumbing	MacLair EL	4343: 0343 bowl, 1342HET tank	850	WS	2	3		E						HET		F
Tynan Plumbing	MacLair RF	4342: 0342 bowl, 1342HET tank	900	WS	2	3		R						HET		F
Vitra	Evergreen (formerly Arkitekt) EL ADA	5065 bowl, 5066 tank	500	WS	2	-	*	E	*					HET		F
Vitra	Evergreen (formerly Corina) Dual Flush Comfort EL ADA	5074 bowl, 5055 tank	800	WS	2	2		E	*	*				HET		F
Vitra	Evergreen (formerly Corina) Dual Flush RF	5076 bowl, 5055 tank	500	WS	2	-	*	R		*				HET		F

LIST OF QUALIFYING RESIDENTIAL HIGH-EFFICIENCY TOILETS (HETs)

Rebate good on purchases made between **March 1, 2007** thru **September 30, 2008** or until rebate funds are depleted, whichever comes first. The following is a list of devices that qualify as of **March 1, 2007**.

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed in a SINGLE flush)	Qualified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height	1.6G (6L) Gravity-flush	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	
												Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity			
	KEY: Flush performance (MaP score)		350 grams to 475 grams		500 grams and more												
IMPORTANT: Prior to purchasing, please confirm that <u>both</u> the tank model number and the bowl model number of your selected HET appear on this list.		Type of toilet fixture		4-L (1.1-gal) Pressure-assist		6-L (1.6-gal) Pressure- or power-assist (full flush option on a dual-flush fixture)		Gravity-fed									
Vitra	EverGreen EL ADA	5195 bowl, 5402 tank	600	WS	2	2		E	*						HET		F
Vitra	EverGreen RF ADA	5196 bowl, 5402 tank	800	WS	2	2		R	*						HET		F
Vortens-Lamosa	Dali EL	5101 bowl, 5201 tank	350	WS	2			E		*				HET			F
Vortens-Lamosa	Delfos	3130	350	WS	1					*				HET			F
Vortens-Lamosa	Pegasus Tulip EL (Home Depot brand)	3107 bowl, 3427 tank (HD SKU 477-546)	400		2	-	*	E		*				HET			F
Vortens-Lamosa	Rhodas EL ADA (HET)	3123 bowl, 3436 or 3433 tank	550		2	-	*	E	*	*				HET			F
Vortens-Lamosa	Rhodas EL ADA (HET)	3123V bowl, 3436V tank	1,000		2	-	*	E	*	*				HET			F
Vortens-Lamosa	Tornado EL	3138 bowl, 3468 tank	700		2	-		E						HET			F
Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3468 tank	1,000		2	-		E	*					HET			F
Vortens-Lamosa	Vienna RF	3208 bowl, 3436V tank	600		2	2		R		*				HET			F
Vortens-Lamosa	Vienna RF Dual Flush	3208 bowl, 3420 tank	375		2	-	*	R		*				HET			F
Western Pottery	Wrangler One EL	B432 PF: 432 PF bowl, ULF-T4 tank	1,000		2	-		E						HET			F
Zurn	EcoVantage Dual Flush EL	Z5572	800		2	-	*	E			*			HET			F
Zurn	EcoVantage Dual Flush EL ADA	Z5562	1,000		2	-	*	E	*		*			HET			F
Zurn	EcoVantage EL	Z5571	800		2	-	*	E						HET			F
Zurn	EcoVantage EL ADA	Z5561	1,000		2	-	*	E	*					HET			F

RF – Round-front toilet bowl

EF – Elongated-front toilet bowl

S – Special bowl design

ADA – Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.

WS – Qualified (certified) to the U.S. EPA WaterSense specification for high-efficiency toilets