

Weather Based Irrigation Controllers Qualifying Products List as of May 20, 2024

Only WBICs that are on EPA WaterSense certified qualify for rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
Aeon Matrix	LTEyyxx	Aeon Matrix	LTPyyxx
Aeon Matrix	PROyyxx	Aeon Matrix	YDNyyxx
Banyan Water	Vine8	Calsense	CS3-XX-XXX, YY
Calsense	CS3-2W-XXX, YY	H2OPro	HA-1060-8
Hunter	HCC-FPUP	Hunter	HCC-800M
Hunter	HCC-800PL	Hunter	HCC-800PP
Hunter	HCC-800SS	Hunter	HC-1200i
Hunter	HC-1201i*	Hunter	HC-600i
Hunter	HC-601i*	Hunter	HPC-FP
Hunter	HPC-401*	Hunter	HPC-400
Hunter	PHC-1200i	Hunter	PHC-1201*
Hunter	PHC-1201i*	Hunter	PHC-1200
Hunter	PHC-2400i	Hunter	PHC-2401*
Hunter	PHC-2401i*	Hunter	PHC-2400
Hunter	PHC-600i	Hunter	PHC-601*
Hunter	PHC-601i*	Hunter	PHC-600
Hunter	SOLARSYNC-SEN	Hunter	WAND
Hunter	WSS-SEN	HydroPoint	WTPRO2S-B-X-CH1
HydroPoint	WTPRO2S-B-X-CH2	HydroPoint	WTPRO2S-B-X-CH4
HydroPoint	WTPRO2S-B-X-CH5	HydroPoint	WTPRO2S-B-X-CH7
HydroPoint	WTPRO2S-B-X-CWM	HydroPoint	WTPRO2S-B-X-SPH
HydroPoint	WTPRO2S-B-X-SPS	HydroPoint	WTPRO2S-B-X-SPT
HydroPoint	WTPRO2S-B-X-SWM	HydroPoint	WTPRO2S-C-X-CH1
HydroPoint	WTPRO2S-C-X-CH2	HydroPoint	WTPRO2S-C-X-CH4
HydroPoint	WTPRO2S-C-X-CH5	HydroPoint	WTPRO2S-C-X-CH7
HydroPoint	WTPRO2S-C-X-CWM	HydroPoint	WTPRO2S-C-X-SPH
HydroPoint	WTPRO2S-C-X-SPS	HydroPoint	WTPRO2S-C-X-SPT
HydroPoint	WTPRO2S-C-X-SWM	HydroPoint	WTPRO3-1224-PRO3UPG
HydroPoint	WTPRO3-3048-PRO3UPG	HydroPoint	WTPRO3-3048-PRO3UPG (CH7)
HydroPoint	WTPRO3-C-12-CH1-UPG	HydroPoint	WTPRO3-C-12-CH2-UPG
HydroPoint	WTPRO3-C-12-CH4-UPG	HydroPoint	WTPRO3-C-12-CH5-UPG
HydroPoint	WTPRO3-C-18-CH1-UPG	HydroPoint	WTPRO3-C-18-CH2-UPG
HydroPoint	WTPRO3-C-18-CH4-UPG	HydroPoint	WTPRO3-C-18-CH5-UPG
HydroPoint	WTPRO3-C-24-CH1-UPG	HydroPoint	WTPRO3-C-24-CH2-UPG
HydroPoint	WTPRO3-C-24-CH4-UPG	HydroPoint	WTPRO3-C-24-CH5-UPG
HydroPoint	WTPRO3-C-30-CH1-UPG	HydroPoint	WTPRO3-C-30-CH2-UPG
HydroPoint	WTPRO3-C-30-CH4-UPG	HydroPoint	WTPRO3-C-30-CH5-UPG
HydroPoint	WTPRO3-C-36-CH1-UPG	HydroPoint	WTPRO3-C-36-CH2-UPG
HydroPoint	WTPRO3-C-36-CH4-UPG	HydroPoint	WTPRO3-C-36-CH5-UPG

Weather Based Irrigation Controllers Qualifying Products List as of May 20, 2024

Only WBICs that are on EPA WaterSense certified qualify for rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
HydroPoint	WTPRO3-C-42-CH1-UPG	HydroPoint	WTPRO3-C-42-CH2-UPG
HydroPoint	WTPRO3-C-42-CH4-UPG	HydroPoint	WTPRO3-C-42-CH5-UPG
HydroPoint	WTPRO3-C-48-CH1-UPG	HydroPoint	WTPRO3-C-48-CH2-UPG
HydroPoint	WTPRO3-C-48-CH4-UPG	HydroPoint	WTPRO3-C-48-CH5-UPG
HydroPoint	WTPRO3-C-X-CH1-*	HydroPoint	WTPRO3-C-X-CH2-*
HydroPoint	WTPRO3-C-X-CH4-*	HydroPoint	WTPRO3-C-X-CH5-*
HydroPoint	WTPRO3-C-X-CH7-*	HydroPoint	WTPRO3-C-X-CWM-*
HydroPoint	WTPRO3-C-X-SPH-*	HydroPoint	WTPRO3-C-X-SPS-*
HydroPoint	WTPRO3-C-X-SPT-*	HydroPoint	WTPRO3-C-X-STW-*
HydroPoint	WTPRO3-C-X-SWM-*	HydroPoint	WTLC-C-X-PL
HydroPoint	WTLC-C-X-PL-F	HydroPoint	WTLC-C-X-PL
HydroPoint	WTLC-C-X-PL-F	HydroPoint	WTOXR-1224-PROUPG
HydroPoint	WTOXR-1224-PROUPG-CH7	HydroPoint	WTOXR-3048-PROUPG
HydroPoint	WTOXR-3048-PROUPG-CH7	HydroPoint	WTOXR-72-PROUPG
HydroPoint	WTOXR-72-PROUPG-CH7	HydroPoint	WTOXR-96-PROUPG
HydroPoint	WTOXR-96-PROUPG-CH7	HydroPoint	WTOXR-C-X-CH1-*
HydroPoint	WTOXR-C-X-CH2-*	HydroPoint	WTOXR-C-X-CH4-*
HydroPoint	WTOXR-C-X-CH5-*	HydroPoint	WTOXR-C-X-CH7-*
HydroPoint	WTOXR-C-X-CH8-*	HydroPoint	WTOXR-C-X-CWM-*
HydroPoint	WTOXR-C-X-SPH-*	HydroPoint	WTOXR-C-X-SPS-*
HydroPoint	WTOXR-C-X-SPT-*	HydroPoint	WTOXR-C-X-STW-*
HydroPoint	WTOXR-C-X-SWM-*	HydroPoint	WTSY-C-X-PL
HydroPoint	WTSY-C-X-PL-F	Hydro-Rain	04082L
Hydro-Rain	04080L	Hydro-Rain	HRC-400-WF-08
Hydro-Rain	HRC-400-WF-16	Hydro-Rain	HRC-410-WF-04
Hydro-Rain	HRC-410-WF-08	Hydro-Rain	04550
Hydro-Rain	04554	Hydro-Rain	04552
Hydro-Rain	04551	IRRITROL	CL-100
IRRITROL	CL-W1	Netafim USA	NLC-100S
Netafim USA	NLC-100D	Netafim USA	NLC-100S
NETRO	Spark-16	NETRO	Spark-8
NETRO	Sprite-12	NETRO	Sprite-12-INT
NETRO	Sprite-6	NETRO	Sprite-6-INT
Orbit B-hyve	94550	Orbit B-hyve	94872
Orbit B-hyve	96050	Orbit B-hyve	96872
Orbit B-hyve	57950	Orbit B-hyve	91950
Orbit B-hyve	94546	Orbit B-hyve	94870
Orbit B-hyve	96046	Orbit B-hyve	96870
Orbit B-hyve	57946	Orbit B-hyve	91946
Orbit B-hyve	57915	Orbit B-hyve	91915

Weather Based Irrigation Controllers Qualifying Products List as of May 20, 2024

Only WBICs that are on EPA WaterSense certified qualify for rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
Orbit B-hyve	94915	Orbit B-hyve	96915
Orbit B-hyve	57925	Orbit B-hyve	91925
Orbit B-hyve	94925	Orbit B-hyve	96925
Orbit B-hyve	57985	Orbit B-hyve	57995
Rachio	12ZULW-C*	Rachio	16ZULW-C*
Rachio	4ZULW-C*	Rachio	6ZULW-C*
Rachio	8ZULW-C*	Rachio	16ZULW-B*
Rachio	16ZULWB*	Rachio	16ZULWBPRO*
Rachio	Iro 16 Zone	Rachio	8ZULWB*
Rachio	Iro 8 Zone	Rachio	12ZULWC*
Rachio	16ZULW*	Rachio	RACHIO3-1600*
Rachio	16ZULWC*	Rachio	6ZULWC*
Rachio	8ZULW*	Rachio	8ZULW-B*
Rachio	8ZULWBPRO*	Rachio	8ZULWC*
Rachio	RACHIO3-800*	Rain Bird	ARC6I
Rain Bird	ARC8	Rain Bird	IQNCC4G
Rain Bird	IQ4G-USA	Rain Bird	IQNCCEN
Rain Bird	IQNCCRS	Rain Bird	LNK2 WiFi
Rain Bird	LNK WiFi	Rain Bird	RC2
Rain Bird	ST8I-2.0	Rain Bird	ST8O-2.0
RAINMASTER	EGP-16-i	RAINMASTER	EGP-16-i-S
RAINMASTER	EGP-16-i-SPED	RAINMASTER	EGP-24-i
RAINMASTER	EGP-24-i-S	RAINMASTER	EGP-24-i-SPED
RAINMASTER	EGP-32-i	RAINMASTER	EGP-32-i-S
RAINMASTER	EGP-32-i-SPED	RAINMASTER	EGP-40-i
RAINMASTER	EGP-40-i-S	RAINMASTER	EGP-40-i-SPED
RAINMASTER	EGP-48-i	RAINMASTER	EGP-48-i-S
RAINMASTER	EGP-48-i-SPED	RAINMASTER	EGP-8-i
RAINMASTER	EGP-8-i-PSB	RAINMASTER	EGP-8-i-S
RAINMASTER	EGP-8-i-SPED	RAINMASTER	EGP-TWi
RAINMASTER	EGP-TWi-PSD	RAINMASTER	EGP-TWi-S
RAINMASTER	EGP-TWi-SPED	RAINMASTER	TW-EGi-36-SPEDT
RAINMASTER	TW-EGi-36-ST	RAINMASTER	TW-EGi-36-T
RAINMASTER	LAGUNA-CENTRAL	RAINMASTER	LAGUNA-LITE
RAINMASTER	RME12EGi-B	RAINMASTER	RME12EGi-SB
RAINMASTER	RME12EGi-SPED	RAINMASTER	RME12EGi-SPEDT
RAINMASTER	RME12EGi-ST	RAINMASTER	RME12EGi-T
RAINMASTER	RME12EGi-W	RAINMASTER	RME18EGi-B
RAINMASTER	RME18EGi-SB	RAINMASTER	RME18EGi-SPED
RAINMASTER	RME18EGi-SPEDT	RAINMASTER	RME18EGi-ST

Weather Based Irrigation Controllers Qualifying Products List as of May 20, 2024

Only WBICs that are on EPA WaterSense certified qualify for rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
RAINMASTER	RME18EGi-T	RAINMASTER	RME18EGi-W
RAINMASTER	RME24EGi-B	RAINMASTER	RME24EGi-SB
RAINMASTER	RME24EGi-SPED	RAINMASTER	RME24EGi-SPEDT
RAINMASTER	RME24EGi-ST	RAINMASTER	RME24EGi-T
RAINMASTER	RME24EGi-W	RAINMASTER	RME30EGi-B
RAINMASTER	RME30EGi-SB	RAINMASTER	RME30EGi-SPED
RAINMASTER	RME30EGi-SPEDT	RAINMASTER	RME30EGi-ST
RAINMASTER	RME30EGi-T	RAINMASTER	RME30EGi-W
RAINMASTER	RME36EGi-B	RAINMASTER	RME36EGi-SB
RAINMASTER	RME36EGi-SPED	RAINMASTER	RME36EGi-SPEDT
RAINMASTER	RME36EGi-ST	RAINMASTER	RME36EGi-T
RAINMASTER	RME36EGi-W	RAINMASTER	RME6EGi-B
RAINMASTER	RME6EGi-SB	RAINMASTER	RME6EGi-SPED
RAINMASTER	RME6EGi-SPEDT	RAINMASTER	RME6EGi-ST
RAINMASTER	RME6EGi-T	RAINMASTER	RME6EGi-W
Smart Rain	SSR04.2	Smart Rain	SR04.5
Smart Rain	V038984	Smart Rain	SR03
Smart Rain	SR04	TORO	CL-100
TORO	EVO-WS	TORO	SGIS-1-T
TORO	53855	Tucor, Inc.	LTD
Tucor, Inc.	RKD	Tucor, Inc.	RKD+
Tucor, Inc.	RKS	Tucor, Inc.	RKS+
Tucor, Inc.	RKW+	Weathermatic	SL1612-WIFI-SLW1
Weathermatic	SL1612-WIFI-SLW5	Weathermatic	SL1616-WIFI-SLW1
Weathermatic	SL1616-WIFI-SLW5	Weathermatic	SL1604-WIFI-SLW1
Weathermatic	SL1604-WIFI-SLW5	Weathermatic	SL1608-WIFI-SLW1
Weathermatic	SL1608-WIFI-SLW5	Weathermatic	SL9600TW-SLW1
Weathermatic	SL9600TW-SLW5	Weathermatic	SL1612-SLW15
Weathermatic	SL1616-SLW15	Weathermatic	SL1604-SLW15
Weathermatic	SL1608-SLW15	Weathermatic	SL1612-SLW1
Weathermatic	SL1616-SLW1	Weathermatic	SL1604-SLW1
Weathermatic	SL1608-SLW1	Weathermatic	SL1612-SLW5
Weathermatic	SL1616-SLW5	Weathermatic	SL1604-SLW5
Weathermatic	SL1608-SLW5	Weathermatic	SL1620-SLW15
Weathermatic	SL1620-SLW1	Weathermatic	SL1620-SLW5
Weathermatic	SL1624-SLW15	Weathermatic	SL1624-SLW1
Weathermatic	SL1624-SLW5	Weathermatic	SL2412-SLW5
Weathermatic	SL2424-SLW5	Weathermatic	SL4812-SLW15
Weathermatic	SL4824-SLW15	Weathermatic	SL4836-SLW15
Weathermatic	SL4848-SLW15	Weathermatic	SL4812-SLW1

Weather Based Irrigation Controllers Qualifying Products List as of May 20, 2024

Only WBICs that are on EPA WaterSense certified qualify for rebates.

For more information about EPA WaterSense certified WBICs, visit:

<http://www.epa.gov/WaterSense/products/controltech.html>

Symbols (X, *, +, #, etc.) indicate that one or more letters or numbers may be used in place of the symbol to indicate a feature that does not affect efficiency.

<u>BRAND</u>	<u>MODEL</u>	<u>BRAND</u>	<u>MODEL</u>
Weathermatic	SL4824-SLW1	Weathermatic	SL4836-SLW1
Weathermatic	SL4848-SLW1	Weathermatic	SL4812-SLW5
Weathermatic	SL4824-SLW5	Weathermatic	SL4836-SLW5
Weathermatic	SL4848-SLW5	Weathermatic	SL804-SLW15
Weathermatic	SL806-SLW15	Weathermatic	SL808-SLW15
Weathermatic	SL804-SLW1	Weathermatic	SL806-SLW1
Weathermatic	SL808-SLW1	Weathermatic	SL804-SLW5
Weathermatic	SL806-SLW5	Weathermatic	SL808-SLW5
Wyze	WSPRK1		